10/040,491 No. 50

of the lead becomes shorter than a distance between the lead feeding mechanism and the tip tend of said barrel, said first holding portion holds the short lead and said second holding portion holds a next lead tightened by the lead feeding mechanism.

4. (Amended) The mechanical pencil according to claim 1, wherein the lead holder includes a body, and an outside cylinder provided concentrically on an outside of the body,

said outside cylinder being formed with a rib projecting in an outside diameter direction to come into contact with an inner peripheral face of the barrel.

6. (Amended) The mechanical pencil according to claim 1, wherein said lead holder includes a body, said body being formed with at least one blade comprising at least one of said holding portions, the at least one blade projecting in an inside diameter direction in a front end part of said body to come into contact with the lead.

7. (Amended) The mechanical pencil according to claim 1, wherein the lead holder includes a body, said body being formed with a rib comprising at least one of said holding portions, the rib projecting in an inside diameter direction in a rear end part of said body to come into contact with the lead.

10. (Amended) A writing instrument, comprising:

a barrel:

a writing medium feeding mechanism disposed in said barrel to be adapted to tighten and feed a writing medium; and

a writing medium holder disposed between the writing medium feeding mechanism and a tip end of said barrel, said writing medium holder having a through hole through which the writing medium penetrates and having holding portions for holding the writing medium and a contact portion for contacting an inner peripheral face of the barrel,

said holding portions including a first holding portion at a front portion of the writing medium holder and a second holding portion at a rear portion of the writing medium holder so that when a length of the writing medium becomes shorter than a distance between the writing medium and the tip end of said barrel, said first holding portion holds the short

2) 3 (4

> 7 8

> > 9

6

10

11 12

10/040,491 No. 50

writing medium and sald second holding portion holds a next writing medium tightened by he writing medium feeding mechanism.

13. (Amended) The writing instrument according to claim 10, wherein the writing medium holder includes a body, and an outside cylinder provided concentrically on an outside of the body,

said outside cylinder being formed with a rib projecting in an outside diameter direction to come into contact with an inner peripheral face of the barrel.

15. (Amended) The writing instrument according to claim 10, wherein said writing medium holder includes a body, said body being formed with at least one blade comprising at least one of said holding portions, the at least one blade projecting in an inside diameter direction in a front end part of said body to come into contact with the writing medium.

16. (Amended) The writing instrument according to claim 10, wherein the writing medium holder includes a body, said body being formed with a rib comprising at least one of said holding portions, the rib projecting in an inside diameter direction in a rear end part of said body to come into contact with the writing medium.

(Amended) The writing instrument according to claim 10, wherein said holding portions comprise a blade and a rib which come into contact with the lead passing through the through hble.

Please add the following new claims:

21. A writing instrument, comprising:

a tip end of a barrel;

a writing medium holder held by said tip end of said barrel having a through hole through which a writing medium penetrates; and

holding portions formed on said writing medium holder for holding the writing medium, said holding portions being formed at two or more positions along an axial length of

1

6

10/040,491

No. 50

12

said writing medium holder, said holding portions including a first holding portion at a front portion of the writing medium holder and a second holding portion at a rear portion of the writing medium holder,

wherein when a length of the writing medium becomes short, said first holding portion holds the writing medium and said second holding portion holds an unused writing medium. --

IN THE ABSTRACT:

Please delete the Abstract of Disclosure on file and replace with the attached Replacement Abstract of Disclosure.

4